

# An Annotated Checklist of Poisonous or Injurious Plants of New Mexico

Reviewed by Casey Spackman<sup>1</sup>

[pubs.nmsu.edu](http://pubs.nmsu.edu) • Cooperative Extension Service • Circular 636

The College of Agricultural, Consumer and Environmental Sciences is an engine for economic and community development in New Mexico, improving the lives of New Mexicans through academic, research, and Extension programs.



New Mexico State University  
[aces.nmsu.edu](http://aces.nmsu.edu)

## INTRODUCTION

Poisonous plants represent one of the greatest hazards to livestock ranching on western rangelands. In addition to direct losses by death, there are those due to weight loss, poor reproductive performance, and poor health. Through scientific reports and practical experience, stockmen have learned to recognize poisonous plants and keep livestock losses to a minimum. Some of the things that can be done to prevent problems with poisonous plants are:

1. Know the poisonous plants. This is the first line of defense against toxic plants.
2. Practice good range management. To a limited degree, poisonous plants will always be present on rangelands, but the real danger is when the plants are eaten. Livestock poisoning is more often the result of poor range condition and poor management than the presence of poisonous plants. Most poisonous plants are unpalatable and will be eaten only if other good quality forage is not available.
3. Feed adequate mineral and vitamin A supplements. Livestock in poor health are more susceptible to many toxins than are healthy animals.
4. Provide adequate forage, especially during early spring or drought periods.
5. Avoid driving livestock through infested or poor condition range. Hungry animals lose their selectivity, and poor rangelands contain far more poisonous plants than those in good condition.
6. Use control measures—herbicides, grubbing, etc.—on heavy infestations of toxic plants.

The most common toxins in New Mexico poisonous plants are alkaloids, glycosides, minerals, nitrogenous compounds, oxalates and other organic acids, compounds causing photosensitivity, and resins or resinoids (see Tables 1 and 2).

**Alkaloids.** These are the most powerful poisons and produce strong physiological reactions, generally affecting the nervous system. The alkaloid is usually distributed throughout the plant and is active whether it is fresh or dry. There are no antidotes for alkaloid poisoning. Some of the common alkaloid-containing range plants are locoweeds (*Astragalus* spp.), larkspur (*Delphinium* spp.), groundsel (*Senecio* spp.), and lupine (*Lupinus* spp.).

**Glycosides.** Glycosides are compounds composed of a toxic agent combined with a sugar. The toxic agent is harmful when released from the glycosides. Cyanide (HCN, prussic acid) is the most common toxin in the glycosides. Glycoside levels in the plant are often related to environmental factors such as freezing, wilting, drought, and crushing. Cyanide is generally not retained in plant tissues after drying. Catclaw (*Acacia greggii*), chokecherry (*Prunus virginiana*), and

<sup>1</sup>Assistant Professor and Extension Range Management Specialist, College of Agricultural, Consumer, and Environmental Sciences (ACES), New Mexico State University.

johnsongrass (*Sorghum halepense*) are potential cyanide producers.

**Minerals.** Excessive absorption of certain minerals may be dangerous to livestock. Selenium is possibly the most important poisonous mineral in New Mexico. It may be found in some species of locoweed (*Astragalus* spp.), fourwing saltbush (*Atriplex canescens*), snakeweed (*Xanthocephalum sarothrae*), and asters (*Aster* spp.). Prince's plume (*Stanleya pinnata*) grows only on seleniferous soils.

**Nitrogenous compounds.** Both range and crop plants may contain potentially toxic levels of nitrogenous compounds. Care must be taken during drought or after fertilizer or herbicide application. Nitrates are also toxic in dry material and silage. Nitrogenous compounds often are found in many species of the amaranth (Amaranthaceae), sunflower (Asteraceae), mustard (Brassicaceae), and goosefoot (Chenopodiaceae) families.

**Oxalates and organic acids.** Many plants contain oxalates, but few species in New Mexico contain enough to be considered dangerous. Halogeton and dock (*Rumex* spp.) possess soluble oxalates that are corrosive to animal tissue. Non-ruminants are more susceptible to oxalate poisoning than ruminants because the large rumen capacity enables the animal to detoxify small amounts of soluble oxalates. Most cases of ruminant poisoning occur on poor condition rangelands.

**Compounds causing photosensitivity.** On certain occasions, animals become hypersensitive to light. Photodynamic pigments contained in horsebrush (*Tetradymia* spp.), lechuguilla (*Agave lechuguilla*), sacahuista (*Nolina* spp.), and puncture-vine (*Tribulus terrestris*) react with light to produce swelling about the head, blistering, and a sunburned appearance. Damage may be so severe that the lips, ears, and eyelids may be lost. Bacterial infection may also set in.

**Resins or resinoids.** These are highly complex organic compounds that are present in a number of plants. Resins are found in milkweeds (*Asclepias* spp.), marijuana (*Cannabis sativa*), water hemlock (*Cicuta douglasii*), and chinaberry tree (*Melia azedaraeh*).

Several noxious plants contain no poisonous compounds, but if grazed, cause injury through mechanical means. This is often by long awns or bristles (*Aristida* spp., *Hordeum jubatum*, *Stipa* spp.) or by stinging hairs (*Urtica* spp.).

**Table 1. Plant Toxins and Their Effects on Livestock**

Toxin	Effect and Symptoms
Alkaloids	Nervous system, liver damage, locoism, trembling, abortion, depression, paralysis, vomiting, loss of coordination, coma, and death.
Glycosides	Excitement, gasping, staggering, paralysis, prostration, convulsions, emphysema, blindness, coma, and death.
Mineral poisoning	Birth defects, loss of appetite, depression, labored breathing, excessive urination, coma, and death through respiratory and myocardial failure.
Nitrogenous compounds	Abortion, depression of lactation, discolored urine, vitamin A deficiency, brown blood, trembling, weakness, labored breathing, hemorrhages, coma, and death.
Oxalates	Nervous system, reduced coagulability of blood, acute kidney inflammation, dullness, colic, depression, labored breathing, prostration, weakness, coma, and death.
Compounds causing photosensitivity	Liver damage, inflammation of skin, itching, necrosis of skin, restlessness, leakage of serum through skin; death does not occur directly from the photodynamic action, but through kidney failure.
Resins or resinoids	Direct irritation of the nervous and muscular tissue, depression, weakness, staggering, labored breathing, elevated temperature, dilation of pupils, degeneration of kidneys, coma, and death.

## POISONOUS PLANTS OF NEW MEXICO

There are at least 270 poisonous plants known to occur in New Mexico (Table 3). The following list includes all New Mexico range plants known to be poisonous or injurious to livestock or man, even though many of these do not pose a threat except in exceptional circumstances. Also included are a few very common poisonous ornamentals or garden plants that may occasionally escape. The major poisonous plants that are likely to cause problems and should be watched for are marked with an asterisk (\*). The list is arranged in alphabetical order by plant family and scientific name. Indications of toxins and animals affected are only those reported and verified. The plants may be toxic to animals other than those listed.

**Table 2. Distribution of Toxins in the Major Plant Families in New Mexico**

Family	Toxin	Number of species in which toxin occurs in New Mexico	Family	Toxins	Number of species in which toxin occurs in New Mexico	Family	Toxin	Number of species in which toxin occurs in New Mexico
<b>Fabaceae</b>				Photosensitization	2			
Alkaloids	21			Unknown	2		Allylisothiocyanate	2
Dicoumarin	2		<b>Solanaceae</b>				Glycosides	1
Glycosides	3			Alkaloids	11		Mustard oil	1
Photosensitization	3			Glycosides	1		Selenium	1
Saponin	1			Unknown	2		Unknown	2
Selenium	13		<b>Chenopodiaceae</b>			<b>Asclepiadaceae</b>		
Unknown	10			Antihelminthic oil	1		Alkaloids	7
<b>Asteraceae</b>				Glycosides	1		Glycosides	7
Acrid substance	2			Nitrogenous compounds	3		Resinoids	7
Alcohol	1			Oxalates	4	<b>Rosaceae</b>		
Alkaloids	5			Photosensitization	1		Glycosides	7
Glycosides	3			Selenium	3	<b>Euphorbiaceae</b>		
Nitrogenous compounds	2		<b>Ranunculaceae</b>				Acrid substance	3
Photosensitization	2			Alkaloids	6		Croton oil	1
Saponin	2			Glycosides	4		Photosensitization	1
Selenium	11			Hairballs	1		Unknown	1
Unknown	21			Irritant oils	1	<b>Liliaceae</b>		
Volatile oils	2		<b>Apiaceae</b>				Alkaloids	4
<b>Poaceae</b>				Alcohol	2		Unknown	2
Fungus	1			Alkaloids	2	<b>Polygonaceae</b>		
Glycosides	3			Nitrogenous compounds	2		Nitrogenous compounds	1
Mechanically injurious	10			Unknown	2		Oxalates	4
Nitrogenous compounds	3						Photosensitization	1

**Table 3. Number of Poisonous or Noxious Range Plants in New Mexico**

Family	Number of species	Family	Number of species	Family	Number of species
Fabaceae	52	Ranunculaceae	12	Rosaceae	6
Asteraceae	50	Apiaceae	10	Polygonaceae	5
Poaceae	32	Brassicaceae	8	38 other families	66
Solanaceae	14	Asclepiadaceae	7		
Chenopodiaceae	12	Euphorbiaceae	7	<b>Total</b>	<b>281</b>

## **Agavaceae**

---

### ***Agave lechuguilla* Torr.**

Common name: lechuguilla

Toxin: unknown substances producing hepatogenic photosensitization; saponins

Habitat: dry hills and plains

Animals affected: sheep, goats

### ***Nolina microcarpa* Wats.**

Common name: beargrass, sacahuista

Toxin: unknown

Habitat: dry, rocky hills and plains

Animals affected: cattle, sheep, goats

### ***Nolina texana* Wats.**

Common name: beargrass, sacahuista

Toxin: unknown

Habitat: dry, rocky hills and plains

Animals affected: cattle, sheep, goats

## **Amaranthaceae**

---

### **\**Amaranthus palmeri* S. Wats.**

Common name: pigweed, carelessweed, redroot amaranth

Toxin: nitrates

Habitat: gardens and old fields, waste areas

Animals affected: cattle, sheep, horses

### **\**Amaranthus retroflexus* L.**

Common name: pigweed, carelessweed, redroot amaranth

Toxin: nitrates

Habitat: gardens and old fields, waste places

Animals affected: cattle, sheep, horses

## **Anacardiaceae**

---

### **\**Toxicodendron radicans* (L.) Kuntze**

Common name: poison ivy

Toxin: urushiol, a skin irritant

Habitat: moist areas at lower elevations, ravines

Animals affected: humans (dermatitis)

## **Apiaceae**

---

### ***Apium graveolens* L.**

Common name: celery

Toxin: nitrates (in the tops)

Habitat: waste ground

Animals affected: cattle

### ***Berula erecta* (Huds.) Cov.**

Common name: water parsnip

Toxin: alkaloids

Habitat: waterways, wet habitats

Animals affected: cattle

### **\**Cicuta douglasii* (DC.) Coull. & Rose**

Common name: water hemlock

Toxin: cicutoxin (alcohol)

Habitat: streams and marshes

Animals affected: all animals and humans

*Conium maculatum* L.

Common Name: poison hemlock

Toxin: alkaloids

Habitat: moist roadsides, ditches, edges of cultivated fields

Animals affected: all animals and humans

### ***Daucus carota* L.**

Common name: wild carrot, Queen Ann's lace

Toxin: nitrates

Habitat: waste areas

Animals affected: horses, cattle

### ***Pastinaca sativa* L.**

Common name: parsnip

Toxin: unknown

Habitat: disturbed ground, cultivated areas

Animals affected: humans

### ***Sium suave* Walt.**

Common name: water parsnip

Toxin: unknown

Habitat: marshes and wet soils

Animals affected: cattle, swine

## **Apocynaceae**

---

### **\**Apocynum androsaemifolium* L.**

Common name: spreading dogbane

Toxins: resins, glycosides

Habitat: open places, coarse soils along streams, meadows and wooded hillsides

Animals affected: cats, dogs

### ***Apocynum cannabinum* L.**

Common name: dogbane, hemp dogbane

Toxin: resins, glycosides

Habitat: open places, coarse soils along streams

Animals affected: cats, dogs

### ***Nerium oleander* L.**

Common name: oleander

Toxin: glycosides

Habitat: common ornamental

Animals affected: cattle, sheep, horses, humans

## **Asclepiadaceae**

---

### **\**Asclepias asperula* (Decne) Woodson**

Common name: rough milkweed, spider antelopehorn

Toxins: resinoids, glycosides, alkaloids

Habitat: open dry plains, flats, desert swales, sandy or rocky hillsides with pinyon, juniper, or oak

Animals affected: sheep, cattle goats, horses, poultry

**\**Asclepias incarnata* L.**

Common name: swamp milkweed  
Toxin: resinoids, glycosides, alkaloids  
Habitat: marshes  
Animals affected: sheep, cattle, horses, poultry

**\**Asclepias latifolia* (Torr.) Raf.**

Common name: broadleaf milkweed  
Toxin: resinoids, glycosides, alkaloids  
Habitat: dry plains in sandy soils  
Animals affected: sheep, goats

**\**Asclepias pumila* Voil.**

Common name: low whorled milkweed, plains whorled milkweed  
Toxin: resinoids, glycosides, alkaloids  
Habitat: plains, low hills  
Animals affected: sheep, goats

**\**Asclepias speciosa* Torr.**

Common name: showy milkweed  
Toxin: resinoids, glycosides, alkaloids  
Habitat: prairies, open areas  
Animals affected: sheep, goats

**\**Asclepias subverticillata* Vail.**

Common name: whorled milkweed, western whorled milkweed  
Toxin: resinoids, glycosides, alkaloids  
Habitat: dry plains and foothills, waterways, irrigation canals  
Animals affected: sheep, goats

**\**Asclepias verticillata* L.**

Common name: whorled milkweed  
Toxin: resinoids, glycosides, alkaloids  
Habitat: plains of northeastern New Mexico  
Animals affected: sheep, cattle, horses

**Asteraceae**

***Achillea millefolium* L.**

Common name: yarrow  
Toxin: alkaloids and glycosides  
Habitat: various  
Animals affected: cattle, sheep, horses

***Anthemis cotula* L.**

Common name: dog fennel, mayweed  
Toxin: acrid substance irritating to mucous membranes  
Habitat: disturbed soils, fields, waste places  
Animals affected: poultry

***Artemisia filifolia* Torr.**

Common name: sand sagebrush  
Toxin: volatile oils  
Habitat: sandy soils  
Animals affected: horses

***Artemisia spinescens* (DC.) Eaton**

Common name: bud sagebrush  
Toxin: volatile oils  
Habitat: dry plains, hills  
Animals affected: cattle, sheep

***Aster adscendens* Lindt.**

Common name: aster  
Toxin: selenium  
Habitat: mountain meadows  
Animals affected: cattle, sheep

***Aster coerulescens* DC.**

Common name: aster  
Toxin: selenium  
Habitat: wet ground, along streams  
Animals affected: cattle, sheep

***Aster commutatus* Gray**

Common name: aster  
Toxin: selenium  
Habitat: open fields, waste grounds  
Animals affected: cattle, sheep

***Aster ericoides* L.**

Common name: aster  
Toxin: selenium  
Habitat: meadows, open woods  
Animals affected: cattle, sheep

***Aster glaucooides* Blake**

Common name: gray aster  
Toxin: selenium  
Habitat: mountains  
Animals affected: sheep

***Aster laevis* L.**

Common name: smooth aster  
Toxin: selenium  
Habitat: scattered in dry to moist places  
Animals affected: cattle, sheep

***Aster occidentalis* (Nutt.) Torr. & Gray**

Common name: western aster  
Toxin: selenium  
Habitat: mountain meadows at moderate elevations  
Animals affected: cattle, sheep

***Aster pauciflorus* Nutt.**

Common name: fewheaded aster  
Toxin: selenium  
Habitat: widespread in saline soils  
Animals affected: cattle, sheep

***Baccharis pteronioides* DC.**

Common name: yerba-de-pasmo  
Toxin: unknown  
Habitat: dry, open hills  
Animals affected: cattle, sheep

<b><i>Bahia oppositifolia</i> (Nutt.) DC.</b>	Habitat: dry plains, slopes, mesas Animals affected: cattle, sheep, goats, swine, chicks, rabbits
Common name: bahia, plains bahia Toxin: cyanogenetic glycoside Habitat: dry soils of plains and hills Animals affected: cattle, sheep	
<b>*<i>Baileya multiradiata</i> Harv. &amp; Gray</b>	
Common name: desert baileya, desert marigold Toxin: unknown Habitat: sandy and gravelly soils in dry areas Animals affected: sheep, goats	
<b>*<i>Baileya pleniradiata</i> Harv. &amp; Gray</b>	
Common name: desert marigold, desert baileya Toxin: unknown Habitat: mesas, deserts Animals affected: sheep, goats	
<b><i>Centaurea repens</i> L.</b>	
Common name: Russian knapweed Toxin: unknown Habitat: fields, roadsides, waste places Animals affected: horses	
<b><i>Centaurea solstitialis</i> L.</b>	
Common name: yellow starthistle Toxin: unknown Habitat: waste grounds Animals affected: horses	
<b><i>Chrysothamnus nauseosus</i> (Pall.) Britton</b>	
Common name: rubber rabbitbrush Toxin: unknown Habitat: dry, open places at moderate and low elevations Animals affected: cattle, sheep, horses	
<b><i>Conzya coulteri</i> Gray</b>	
Common name: conzya Toxin: unknown Habitat: plains, valleys, alkaline soils Animals affected: sheep	
<b><i>Flourensia cemua</i> DC.</b>	
Common name: tarbush Toxin: unknown Habitat: dry plains, hills, mesas Animals affected: sheep, goats	
<b><i>Grindelia squarrosa</i> (Pursh) Dunal</b>	
Common name: curlycup gumweed Toxin: selenium Habitat: dry open places, prairies, plains, roadsides, fields Animals affected: cattle, sheep, horses	
<b>*<i>Gutierrezia microcephalum</i> (DC.) Gray</b>	
Common name: broomweed, perennial snakeweed, turpentine weed, snakeweed, matchweed Toxin: saponin	
<b>*<i>Gutierrezia sarothrae</i> (Pursh) Britt. &amp; Rusby</b>	
Common name: broom snakeweed, snakeweed, matchbrush, turpentine weed Toxin: saponin Habitat: dry stony plains, slopes, mesas Animals affected: cattle, sheep, goats, swine, chicks, rabbits	
<b>*<i>Haplopappus tenuisectus</i> (Greene) Blake</b>	
Common name: burroweed Toxin: tremetol (alcohol) Habitat: dry slopes and mesas Animals affected: cattle, sheep	
<b>*<i>Helenium autumnale</i> L.</b>	
Common name: sneezeweed, bitterweed Toxin: unknown acrid substance Habitat: moist low ground in lowlands and foothills Animals affected: cattle, sheep	
<b>*<i>Helenium hoopesii</i> Gray</b>	
Common name: sneezeweed, orange sneezeweed Toxin: glycoside (dugaldin) Habitat: high mountain slopes and valleys, often forming dense stands in moist, sunny, undisturbed localities Animals affected: cattle, sheep	
<b>*<i>Helenium microcephalum</i> DC.</b>	
Common name: sneezeweed Toxin: unknown Habitat: moist ground Animals affected: cattle, sheep, horses, mules	
<b>*<i>Hymenoxyd odorata</i> DC.</b>	
Common name: bitterweed, bitter rubberweed Toxin: unknown Habitat: semiarid range Animals affected: sheep	
<b>*<i>Hymenoxyd richardsonii</i> (Hook.) Cockerell</b>	
Common name: pingue, Colorado rubberweed, rubberweed Toxin: unknown, may be associated with mineral imbalance Habitat: dry, rocky, or clay soils of plains and mountain slopes Animals affected: cattle, sheep, goats	
<b>*<i>Isocoma wrightii</i> (Gray) Rydb.</b>	
Common name: rayless goldenrod, jimmyweed, burrow-weed Toxin: tremetol (alcohol) Habitat: river valleys, drainage areas, irrigation canals Animals affected: cattle, sheep, horses	

***Lactuca serriola* L.**

Common name: wild lettuce

Toxin: unknown

Habitat: waste grounds, valleys, streamsides

Animals affected: cattle

**\**Oxytenia acerosa* Nutt.**

Common name: copperweed

Toxin: unknown

Habitat: alkaline soils in draws and streambeds, desert ranges

Animals affected: cattle, sheep

***Psathyrotes annua* (Nutt.) Gray**

Common name: annual psathyrotes

Toxin: unknown

Habitat: dry, sandy, often alkaline soils, especially creek-beds, dry washes

Animals affected: sheep

**\**Psilosrophe sparsiflora* (Gray) A. Nels.**

Common name: paperflower

Toxin: unknown, induces kidney damage

Habitat: dry, open range

Animals affected: sheep

**\**Psilosrophe tagetinre* (Nutt.) Greene**

Common name: paperflower

Toxin: unknown, induces kidney damage

Habitat: dry, open range

Animals affected: sheep

***Rudbeckia laciniata* L.**

Common name: golden glow, coneflower, thimble weed

Toxin: unknown

Habitat: moist, rich soils

Animals affected: swine, sheep

***Rudbeckia hirta* L.**

Common name: black-eyed Susan

Toxin: unknown

Habitat: open slopes, meadows

Animals affected: cattle, swine

***Sartwellia flaveriae* Gray**

Common name: sartwellia

Toxin: unknown

Habitat: alkaline soils, gypsum

Animals affected: cattle, sheep, goats

**\**Senecio douglasii* DC. var. *longilobus* (Benth.)**

**L. Benson**

Common name: threadleaf groundsel

Toxin: pyrrolizidine alkaloids

Habitat: dry slopes, mesas, dry washes

Animals affected: cattle, sheep, horses, goats

**\**Senecio riddellii* Torr. & Gray**

Common name: Riddell's groundsel

Toxin: pyrrolizidine alkaloids

Habitat: dry, sandy soils

Animals affected: cattle, sheep, horses, goats

***Senecio spartioides* Torr. & Gray**

Common name: broom groundsel

Toxin: pyrrolizidine alkaloids

Habitat: valleys, plains, open areas, pine forests

Animals affected: cattle, sheep, horses, goats

***Senecio vulgaris* L.**

Common name: common groundsel

Toxin: pyrrolizidine alkaloids

Habitat: gardens, disturbed ground

Animals affected: cattle, sheep, horses, goats

***Sideranthus grindeloides* (Nutt.) Rydb.**

Common name: ironweed

Toxin: selenium

Habitat: dry plains, rocky hills

Animals affected: sheep

***Tanacetum vulgare* L.**

Common name: common tansy

Toxin: ethereal oil; causes abortions

Habitat: roadsides, waste areas, ditchbanks, moist areas

Animals affected: cattle

**\**Tetradymia canescens* DC.**

Common name: horsebrush

Toxin: photosensitizing compounds

Habitat: dry desert and sagebrush range

Animals affected: sheep

**\**Tetradymia spinosa* Torr. & Gray**

Common name: spiny horsebrush

Toxin: photosensitizing compounds

Habitat: dry desert and sagebrush range

Animals affected: sheep

***Viguiera annua* (Jones) Blake**

Common name: annual goldeneye

Toxin: unknown

Habitat: dry hills and mesas

Animals affected: cattle

**\**Xanthium spinosum* L.**

Common name: spiny cocklebur

Toxin: hydroquinone

Habitat: waste places, fields

Animals affected: cattle, sheep, fowl, swine

**\**Xanthium strumarium* L.**

Common name: cocklebur

Toxin: hydroquinone

Habitat: fields and waste places  
Animals affected: cattle, sheep, horses, fowl, wines

### **Boraginaceae**

---

#### ***Amsinckia intermedia* Fisch & May**

Common name: fiddleneck  
Toxin: unknown  
Habitat: dry, open, cultivated ground and waste areas  
Animals affected: cattle, horses, swine

#### ***Cynoglossum officinale* L.**

Common name: hounds tongue  
Toxin: unknown  
Habitat: waste places in plains and hills  
Animals affected: cattle

### **Brassicaceae**

---

#### ***Barbarea vulgaris* R. Br.**

Common name: yellow rocket  
Toxin: mustard oil  
Habitat: wet meadows, waste places  
Animals affected: horses

#### ***Brassica hirta* Moench**

Common name: white mustard  
Toxin: cyanogenetic glycoside  
Habitat: cultivated fields, waste areas  
Animals affected: cattle, sheep

#### ***Brassica kaber* Wheeler**

Common name: charlock  
Toxin: cyanogenetic glycoside  
Habitat: grain fields, waste areas  
Animals affected: cattle, sheep, swine

#### ***Brassica nigra* Koch**

Common name: black mustard  
Toxin: goiterogenic glycoside  
Habitat: cultivated fields  
Animals affected: cattle

#### **\**Descurainia pinnata* (Walt.) Britt.**

Common name: tansy mustard  
Toxin: unknown  
Habitat: sandy soils  
Animals affected: cattle

#### ***Raphanus raphanistrum* L.**

Common name: wild radish  
Toxin: unknown  
Habitat: cultivated areas, waste places  
Animals affected: cattle

#### ***Stanleya pinnata* (Pursh) Britt.**

Common name: prince's plume  
Toxin: selenium  
Habitat: desert areas, dry plains and mesas

Animals affected: cattle, sheep

### ***Thlaspi arvense* L.**

Common name: field pennycress  
Toxin: cyanogenetic glycoside  
Habitat: cultivated fields, waste areas  
Animals affected: cattle

### **Campanulaceae**

---

#### ***Lobelia cardinalis* L.**

Common name: western cardinal flower  
Toxin: alkaloids  
Habitat: wet ground  
Animals affected: cattle, sheep, goats

### **Cannabinaceae**

---

#### ***Cannabis sativa* L.**

Common name: marijuana  
Toxin: tetrahydrocannabinol  
Habitat: waste places  
Animals affected: cattle, sheep, horses, humans

### **Capparidaceae**

---

#### ***Wislizenia refracta* Engelm.**

Common name: jackass clover  
Toxin: unknown  
Habitat: roadsides, fields  
Animals affected: cattle

### **Caprifoliaceae**

---

#### ***Sambucus mexicana* Presl.**

Common name: Mexican elder  
Toxin: unknown  
Habitat: valleys, streambanks, ornamental  
Animals affected: cattle, swine

#### ***Sambucus pubens* Michx.**

Common name: stinking elder  
Toxin: unknown  
Habitat: streambanks  
Animals affected: cattle, swine

#### ***Sambucus microbotrys* Rydb.**

Common name: Rocky Mountain red elder  
Toxin: unknown, concentrated in root  
Habitat: moist woods, 8,000–12,000 feet  
Animals affected: cattle, swine

### **Caryophyllaceae**

---

#### ***Agrostemma githago* L.**

Common name: corn cockle  
Toxin: cardiac glycoside  
Habitat: cultivated fields, waste places  
Animals affected: cattle, swine, poultry

**\**Drymaria pachyphylla* Woot. & Standl.**

Common name: inkweed, drymary

Toxin: unknown

Habitat: alkaline clay soils

Animals affected: cattle, sheep

***Saponaria officinalis* L.**

Common name: bouncing bet, soapwort

Toxin: saponin

Habitat: waste areas, roadsides

Animals affected: sheep, rabbits

***Saponaria vaccaria* L.**

Common name: cow cockle

Toxin: saponin

Habitat: waste areas, roadsides

Animals affected: sheep, rabbits

**Chenopodiaceae** \_\_\_\_\_

***Atriplex canescens* (Pursh) James**

Common name: four-wing saltbush

Toxin: selenium

Habitat: dry plains, canyons

Animals affected: cattle, sheep

***Atriplex nuttallii* Wats. subsp. *cuneata* (A. Nels.)**

Common name: Nuttall saltbush

Toxin: selenium

Habitat: dry hills and slopes

Animals affected: cattle, sheep

***Atriplex rosea* L.**

Common name: red orache, red shadscale

Toxin: selenium

Habitat: waste areas

Animals affected: cattle, sheep

***Bassia hyssopifolia* (Pall.) Kuntze**

Common name: bassia

Toxin: oxalates

Habitat: dry, saline areas

Animals affected: sheep

***Chenopodium album* L.**

Common name: lambsquarter, goosefoot

Toxin: nitrates

Habitat: waste places

Animals affected: cattle, sheep, horses

***Chenopodium ambrosioides* L.**

Common name: goosefoot

Toxin: antihelminthic oil

Habitat: waste places

Animals affected: geese

***Chenopodium glaucum* L.**

Common name: oakleaf goosefoot

Toxin: nitrates

Habitat: waste places

Animals affected: cattle, sheep

**\**Halopeplis glomeratus* (Bieg.) C.A. Mey.**

Common name: halogeton, barilla

Toxin: oxalates

Habitat: dry saline plains and alkaline areas, roadsides

Animals affected: cattle, sheep

***Kochia scoparia* (L.) Schrad.**

Common name: summer cypress, kochia

Toxin: photosensitizing compounds

Habitat: dry soils, roadsides, waste places

Animals affected: cattle, sheep, horses

***Salsola iberica* Sennen Pau.**

Common name: Russian thistle, tumbleweed

Toxin: nitrates

Habitat: dry soils of plains and foothills

Animals affected: cattle, sheep, horses

**\**Sarcobatus vermiculatus* (Hook.) Torr.**

Common name: greasewood

Toxin: oxalates

Habitat: alkaline flats or saline areas at low elevations

Animals affected: sheep, sometimes cattle

***Suckleya suckleyana* (Torr.) Rydb.**

Common name: poison suckleya

Toxin: hydrocyanic acid

Habitat: moist ground, near ponds and reservoirs

Animals affected: cattle, sheep

**Cyperaceae** \_\_\_\_\_

***Scirpus americanus* Pers.**

Common name: bulrush

Toxin: unknown, suspected of producing pulmonary emphysema

Habitat: wet or moist ground

Animals affected: sheep, sometimes cattle

**Equisetaceae** \_\_\_\_\_

**\**Equisetum arvense* L.**

Common name: horsetail, scouring rush

Toxin: alkaloids

Habitat: sandy or gravelly soils along streams, moist fields, meadows

Animals affected: cattle, sheep, horses, goats

**\**Equisetum hiemale* L.**

Common name: scouring rush, horsetail

Toxin: alkaloids

Habitat: low moist areas, mostly along streams

Animals affected: cattle, sheep, horses, goats

**\**Equisetum laevigatum* R. Br.**

Common name: smooth horsetail

Toxin: thiaminase

Habitat: marshes, alluvial thickets, cultivated areas

Animals affected: cattle, sheep, horses, goats

**Euphorbiaceae**

***Croton texensis* (Klotz.) DC.**

Common name: Texas croton

Toxin: croton oil (caustic)

Habitat: roadsides, fields, dry streambeds

Animals affected: cattle, sheep, horses

***Euphorbia albomarginata* Torr. & Gray**

Common name: spurge

Toxin: unknown photosensitizing substance

Habitat: dry flats and slopes

Animals affected: cattle, sheep

***Euphorbia esula* L.**

Common name: leafy spurge

Toxin: unknown acrid principle

Habitat: waste areas

Animals affected: sheep, horses

***Euphorbia maculata* L.**

Common name: eyebane, spotted spurge

Toxin: unknown photosensitizing substance

Habitat: fields, slopes, canyons

Animals affected: sheep

***Euphorbia marginata* Pursh**

Common name: snow-on-the-mountain

Toxin: unknown acrid principle

Habitat: plains, ornamental

Animals affected: cattle, humans

***Euphorbia prostrata* Alt.**

Common name: euphorbia

Toxin: unknown acrid principle

Habitat: open plains and waste areas

Animals affected: cattle

***Reverchonia arenaria* Gray**

Common name: reverchonia

Toxin: unknown

Habitat: dry, sandy ground

Animals affected: sheep

**Fabaceae**

**\**Acacia constricta* Benth.**

Common name: whitehorn acacia

Toxin: cyanogenetic glycoside

Habitat: dry slopes and mesas

Animals affected: cattle

**\**Acacia gregii* Gray**

Common name: catclaw acacia

Toxin: cyanogenetic glycoside

Habitat: along streams and washes; southern New Mexico

Animals affected: sheep

***Astragalus albus* Woot. & Standl.**

Common name: Cibola milkvetch

Toxin: selenium

Habitat: clay flats, low hills, sandstone soils

Animals affected: cattle, sheep, horses

***Astragalus allochrous* Gray var. *allochrous***

Common name: halfmoon locoweed

Toxin: swainsonine

Habitat: dry slopes, plains, and valleys

Animals affected: cattle, sheep, horses

**\**Astragalus allochrous* Gray var. *playanus***

(M.E. Jones) Isely

Common name: Wooton locoweed

Toxin: alkaloid (locoine)

Habitat: plains, slopes, valleys

Animals affected: cattle, sheep, horses

***Astragalus bisulcatus* (Hook.) Gray var. *bisulcatus***

Common name: two-grooved milkvetch

Toxin: selenium

Habitat: plains and bottomlands, sagebrush zones

Animals affected: cattle, sheep, horses

***Astragalus bisulcatus* var. *haydenianus* (Gray) Barneby**

Common name: two-grooved milkvetch

Toxin: selenium

Habitat: plains, dry slopes, sagebrush zone

Animals affected: cattle, sheep, horses

***Astragalus canadensis* L.**

Common name: Canada milkvetch

Toxin: swainsonine

Habitat: moist ground or sometimes rocky slopes

Animals affected: cattle, sheep, horses

***Astragalus confertiflorus* Gray**

Common name: yellow milkvetch

Toxin: selenium

Habitat: rocky slopes

Animals affected: cattle, sheep, horses

***Astragalus drummondii* Hook.**

Common name: Drummond milkvetch

Toxin: swainsonine

Habitat: plains and hillsides, brush places

Animals affected: cattle, sheep, horses

***Astragalus emoryanus* (Rydb.) Cory**

Common name: Emory milkvetch

Toxin: alkaloid, produces locoism when found on limestone soils or red sandy soils  
Habitat: rocky hillsides, canyons, disturbed areas  
Animals affected: cattle, sheep, goats

***Astragalus flavus* Torr. & Gray**

Common name: yellow milkvetch  
Toxin: selenium  
Habitat: rocky slopes, low hills  
Animals affected: cattle, sheep, horses

**\**Astragalus lentiginosus* Hook var. *lentiginosus***

Common name: blue loco  
Toxin: swainsonine  
Habitat: rocky slopes, canyons, mesas  
Animals affected: cattle, sheep, horses

**\**Astragalus lentiginosus* Hook. var. *diphysus* (Gray)**

**M.E. Jones**  
Common name: blue loco, rattleweed  
Toxin: swainsonine  
Habitat: rocky slopes, canyons, mesas  
Animals affected: cattle, sheep, horses

**\**Astragalus mollissimus* Torr. var. *mollissimus***

Common name: woolly locoweed  
Toxin: swainsonine  
Habitat: open plains and valleys  
Animals affected: cattle, sheep, horses

**\**Astragalus mollissimus* var. *earlei* (Rydb.) Tidestrom**

Common name: woolly locoweed  
Toxin: swainsonine  
Habitat: dry slopes and plains  
Animals affected: cattle, sheep, horses

**\**Astragalus nothoxys* Gray**

Common name: beaked milkvetch  
Toxin: alkaloid swainsonine  
Habitat: open slopes, sandy areas, among oak and juniper  
Animals affected: cattle, sheep, horses

***Astragalus oocalycis* M.E. Jones**

Common name: locoweed  
Toxin: selenium  
Habitat: dry hills, plains, valleys  
Animals affected: cattle, sheep, horses

***Astragalus pattersonii* Gray**

Common name: Patterson locoweed  
Toxin: selenium  
Habitat: dry plains and hillsides, in alkaline or seleniferous soils  
Animals affected: cattle, sheep, horses

***Astragalus pectinatus* G. Don**

Common name: tine-leaved milkvetch  
Toxin: selenium

Habitat:

Animals affected:

***Astragalus praelongus* Sheld. var. *praelongus***

Common name: stinking milkvetch  
Toxin: selenium  
Habitat: variety of habitats  
Animal affected: cattle, sheep, horses

***Astragalus praelongus* var. *ellisi* (Rydb.) Barneby**

Common name: Ellis milkvetch  
Toxin: selenium  
Habitat: variety of habitats, widespread  
Animals affected: cattle, sheep, horses

***Astragalus racemosus* Pursh var. *racemosus***

Common name: alkali milkvetch  
Toxin: selenium  
Habitat: barren slopes, alluvial areas, alkaline soils  
Animals affected: cattle

***Astragalus racemosus* var. *longisetus* M.E. Jones**

Common name: alkali milkvetch  
Toxin: selenium  
Habitat: eroded slopes, along streams  
Animals affected: cattle

***Astragalus tephrodes* Gray**

Common name: silverline locoweed  
Toxin: swainsonine  
Habitat: rocky slopes to sandy plains

**\**Astragalus thurberi* Gray**

Common name: Thurber milkvetch  
Toxin: alkaloid (locoine)  
Habitat: plains, valleys, open slopes  
Animals affected: cattle, sheep, horses

***Cassia fasciculata* Michx. var. *fasciculata***

Common name: partridge-pea  
Toxin: unknown  
Habitat: dry fields and hillsides  
Animals affected: cattle, sheep, horses

***Cassia fasciculata* var. *rostrata* (Woot. & Standl.)**

**B.L. Turner**  
Common name: partridge-pea  
Toxin: unknown  
Habitat: restricted to the plains of east-central New Mexico  
Animals affected: cattle, sheep, horses

***Crotalaria sagittalis* L.**

Common name: rattlebox, crotalaria  
Toxin: unknown  
Habitat: sandy soil near streams  
Animals affected: horses

***Lathyrus polymorphus* subsp. *incanus* (J.G. Sm. & Rydb.) C.L. Hitchc.**

Common name: wild pea

Toxin: alpha-, gamma-diaminobutyric acid

Habitat: dry plains, sandy banks, washes

Animals affected: horses

***Lotus corniculatus* L.**

Common name: birdsfoot trefoil

Toxin: cyanogenetic glycoside

Habitat: sandy roadsides

Animals affected: cattle, sheep, horses

**\**Lupinus alpestris* A. Nels.**

Common name: lupine, bluebonnet

Toxin: alkaloids

Habitat: mountains

Animals affected: cattle, sheep

**\**Lupinus argenteus* Pursh var. *argenteus***

Common name: silvery lupine

Toxin: alkaloids

Habitat: meadows, open woods

Animals affected: cattle, sheep, deer

**\**Lupinus argenteus* var. *stenophyllus* (Torr. & Gray) Davis**

Common name: silvery lupine

Toxin: alkaloids

Habitat: meadows, open woods

Animals affected: cattle, sheep, deer

**\**Lupinus caudatus* Kell.**

Common name: Kellogg's spurred lupine, tailcut lupine

Toxin: alkaloids

Habitat: exposed hillsides

Animals affected: cattle

***Medicago hispida* Gaertn.**

Common name: burclover

Toxin: photosensitization compounds

Habitat: waste areas

Animals affected: cattle, sheep, swine

***Medicago sativa* L.**

Common name: alfalfa, lucerne

Toxin: saponin, photosensitization compounds

Habitat: cultivated and escaping

Animals affected: cattle, sheep, chicks, wines

***Melilotus albus* Desv.**

Common name: white sweetclover

Toxin: dicoumarin

Habitat: waste areas, fields

Animals affected: cattle

***Melilotus officinalis* Lam.**

Common name: yellow sweetclover

Toxin: dicoumarin

Habitat: waste areas, fields

Animals affected: cattle, sheep, horses

**\**Oxytropis lambertii* Pursh**

Common name: Lambert's crazyweed

Toxin: unknown alkaloid, produces locoism

Habitat: plains, mountain slopes

Animals affected: cattle, sheep, horses

**\**Oxytropis sericea* Torr. & Gray**

Common name: white loco, silky crazyweed

Toxin: alkaloids, produces locoism

Habitat: open slopes, widespread

Animals affected: cattle, sheep, horses

***Pisum sativum* L.**

Common name: garden pea

Toxin: unknown

Habitat: gardens

Animals affected: cattle, sheep

***Poinciana gilliesii* Hook**

Common name: bird of paradise

Toxin: unknown, green seed pods are gastrointestinal irritants

Habitat: around dwelling sites, waste areas

Animals affected: cattle

***Prosopis glandulosa* Torr.**

Common name: mesquite

Toxin: unknown, may cause a nutritional deficiency

Habitat: plains, prairies, river valleys

Animals affected: cattle

***Psoralea argophylla* Pursh**

Common name: scurf pea

Toxin: unknown

Habitat: plains and hills

Animals affected: cattle, sheep

***Psoralea tenuiflora* Pursh**

Common name: scurf pea, Indian turnip

Toxin: unknown

Habitat: dry plains, low hills

Animals affected: cattle, horses

***Robinia pseudoacacia* L.**

Common name: black locust

Toxin: unknown

Habitat: along roadsides, escaped from cultivation

Animals affected: cattle, sheep, horses, poultry

***Sophora secundiflora* (Ort.) Lag.**

Common name: mescal bean, frijolito

Toxin: alkaloids

Habitat: along limestone bluffs, gravelly outwashes

Animals affected: cattle, sheep, goats

***Sophora sericia* Nutt.**

Common name: silky sophora  
Toxin: alkaloids  
Habitat: dry fields and plains  
Animals affected: horses

***Thermopsis montana* Nutt.**

Common name: mountain golden pea  
Toxin: alkaloids  
Habitat: mountain valleys and clearings  
Animals affected: cattle

***Thermopsis rhombifolia* Rich.**

Common name: prairie thermopsis  
Toxin: alkaloids  
Habitat: dry, sandy soils of hills and plains  
Animals affected: cattle, horses

***Trifolium hybridum* L.**

Common name: alsike clover  
Toxin: photosensitizing compound  
Habitat: meadows, waste areas  
Animals affected: cattle, sheep, horses, swine

***Trifolium pratense* L.**

Common name: red clover  
Toxin: unknown  
Habitat: fields and waste areas  
Animals affected: cattle, sheep, horses

***Trifolium repens* L.**

Common name: white clover  
Toxin: cyanogenetic glycoside  
Habitat: fields and waste areas  
Animals affected: newborn pigs

***Vicia villosa* Roth**

Common name: hairy vetch, wintervetch  
Toxin: photosensitizing compound  
Habitat: cultivated areas  
Animals affected: cattle, horses

**Fagaceae****\**Quercus gambelii* Nutt.**

Common name: Gambeloak  
Toxin: tannins  
Habitat: canyons and mountain slopes  
Animals affected: cattle, sheep, goats

**\**Quercus havardii* Rydb.**

Common name: Havard shinoak, shinnery  
Toxin: tannins  
Habitat: sandy plains  
Animals affected: cattle, sheep

**Fumariaceae****\**Corydalis aurea* Willd.**

Common name: golden corydalis  
Toxin: alkaloids  
Habitat: damp slopes and plains  
Animals affected: cattle, sheep

**Gentianaceae*****Centaurium calycosum* Fern.**

Common name: mountain pink  
Toxin: unknown  
Habitat: boggy or marshy places  
Animals affected: sheep, goats

**Hypericaceae*****Hypericum formosum* H.B.K.**

Common name: southwestern St. Johnswort  
Toxin: photosensitizing compounds  
Habitat: moist soil in damp meadows  
Animals affected: cattle, sheep, horses, goats

**Iridaceae*****Iris missouriensis* Nutt.**

Common name: Rocky Mountain iris  
Toxin: unknown  
Habitat: open meadows in the higher mountains  
Animals affected: calves

**Juncaginaceae****\**Triglochin maritima* L.**

Common name: arrowgrass  
Toxin: hydrocyanic acid  
Habitat: marshy ground  
Animals affected: cattle, sheep

**\**Triglochin palustris* L.**

Common name: arrowgrass  
Toxin: hydrocyanic acid  
Habitat: marshy ground  
Animals affected: cattle, sheep

**Lamiaceae*****Lamium amplexicaule* L.**

Common name: henbit, dead nettle  
Toxin: unknown  
Habitat: waste areas  
Animals affected: cattle, sheep, horses

***Salvia reflexa* Hornem.**

Common name: annual sage, mintweed  
Toxin: nitrates  
Habitat: rocky slopes, open woods  
Animals affected: cattle

## **Liliaceae**

---

### ***Asparagus officinalis* L.**

Common name: asparagus

Toxin: unknown compound in fruits

Habitat: valleys, roadsides, loose or sandy soils

Animals affected: cattle and dairy cattle

### **\**Veratrum californicum* Durarid**

Common name: false hellebore, cornlily

Toxin: alkaloids

Habitat: moist meadows in the mountains

Animals affected: cattle, sheep, fowl

### **\**Zigadenus venenosus* Pursh**

Common name: death camas

Toxin: alkaloids

Habitat: wooded slopes in the mountains

Animals affected: cattle, horses, swine, fowl

### **\**Zigadenus gramineus* Rydb.**

Common name: death camas

Toxin: alkaloids

Habitat: wooded slopes and open ground

Animals affected: cattle, sheep, horses

### **\**Zigadenus paniculatus* (Nutt.) Wats**

Common name: death camas

Toxin: alkaloids

Habitat: open grassy or rocky plains and hills

Animals affected: cattle, horses, swine

## **Linaceae**

---

### ***Linum neomexicanum* Greene**

Common name: New Mexico yellow flax

Toxin: saponin, glycoside

Habitat: wooded mountain slopes

Animals affected: cattle

### ***Linum usitatissimum* L.**

Common name: flax

Toxin: cyanogenetic glycoside

Habitat: waste areas around cultivated areas

Animals affected: cattle

## **Loranthaceae**

---

### ***Phoradendron flavescens* (Pursh) Nutt. var. *flavescens***

Common name: mistletoe

Toxin: pressor amines, phenylethylamine, tyramine

Habitat: parasitic on cottonwood and other deciduous trees

Animals affected: cattle

### ***Phoradendron flavescens* var. *macrophyllum* Engelm.**

Common name: mistletoe

Toxin: pressor amines, phenylethylamine, tyramine Habitat:

parasitic on cottonwood and other deciduous trees

Animals affected: cattle

## ***Phoradendron flavescens* var. *orbiculatum* Engel.**

Common name: mistletoe

Toxin: pressor amines, phenylethylamine, tyramine

Habitat: parasitic on oak

Animals affected: cattle

### ***Phoradendron flavescens* var. *villosum* (Nutt.) Engelm.**

Common name: mistletoe

Toxin: pressor amines, phenylethylamine, tyramine

Habitat: parasitic on deciduous trees

Animals affected: cattle

## **Malvaceae**

---

### ***Gossypium barbadense* L.**

Common name: sea-island cotton

Toxin: gossypol in seeds

Habitat: cultivated

Animals affected: cattle, sheep, horses

### ***Malva parviflora* L.**

Common name: mallow, cheeseweed

Toxin: fatty acids (malvalic and sterculic)

Habitat: waste areas

Animals affected: cattle, sheep, horses

## **Meliaceae**

---

### ***Melia azedarach* L.**

Common name: chinaberry tree

Toxin: resins, especially in fruits

Habitat: waste areas, ornamental

Animals affected: cattle, sheep, horses

## **Moraceae**

---

### ***Maclura pomifera* Schneid**

Common name: Osage-orange

Toxins: unknown compounds in fruit

Habitat: waste areas and arroyos

Animals affected: cattle, sheep, horses

## **Oxalidaceae**

---

### ***Oxalis corniculata* L.**

Common name: creeping wood sorrel

Toxin: oxalates

Habitat: moist waste areas, often in lawns

Animals affected: sheep

## **Papaveraceae**

---

### ***Argemone mexicana* L.**

Common name: Mexican poppy

Toxin: alkaloids

Habitat: waste areas

Animals affected: cattle, sheep, horses, fowl

***Argemone polyanthemos* (Fedde) G. Ownbey**

Common name: prickly poppy

Toxin: alkaloids

Habitat: dry plains, waste areas

Animals affected: cattle, sheep, horses, fowl

***Papaver nudicaule* L. var. *radicatum* (Rottb.) DC.**

Common name: Iceland poppy

Toxin: alkaloids

Habitat: open slopes and summits

Animals affected: cattle, sheep, horses

***Papaver somniferum* L.**

Common name: common poppy

Toxin: alkaloids

Habitat: ornamental

Animals affected: cattle, sheep, horses

**Pinaceae** \_\_\_\_\_

***Pinus ponderosa* Laws.**

Common name: Western yellow pine, ponderosa pine

Toxin: unknown compounds in leaves

Habitat: mountain areas

Animals affected: cattle

**Poaceae** \_\_\_\_\_

***Agropyron* spp.**

Common name: wheatgrass

Toxin: ergot infestation of seedheads

Habitat: rangeland and pastures

Animals affected: cattle, sheep, horses, humans

***Aristida* spp.**

Common name: red three-awn

Toxin: awns are mechanically injurious

Habitat: plains and rocky slopes

Animals affected: cattle, sheep, horses

***Avena fatua* L.**

Common name: wild oats

Toxin: nitrates

Habitat: cultivated land and waste areas

Animals affected: cattle, sheep, horses

***Avena sativa* L.**

Common name: cultivated oats

Toxin: nitrates, photosensitizing compounds, grass tetany

Habitat: open ground, grasslands, waste areas

Animals affected: cattle, sheep, horses

***Bouteloua* spp.**

Common name: grama grasses

Toxin: low levels of cyanide

Habitat: plains

Animals affected: cattle

***Bromus diandrus* Roth**

Common name: ripgut brome

Toxin: mechanical injury from mature awns

Habitat: weedy ground

Animals affected: cattle, sheep

***Bromus inermis* Leyss.**

Common name: smooth brome

Toxin: ergot infestation of seed heads

Habitat: mountain slopes and meadows

Animals affected: cattle, sheep, horses

***Bromus rubens* L.**

Common name: foxtail chess, red brome

Toxin: mechanical injury from mature awns

Habitat: dry hills and waste areas

Animals affected: cattle, sheep

***Bromus tectorum* L.**

Common name: cheatgrass, down cheat

Toxin: mechanical injury from mature awns; may also cause ergot poisoning

Habitat: roadsides and waste areas

Animals affected: cattle

***Cynodon dactylon* L. Pers.**

Common name: Bermudagrass

Toxin: photosensitizing compound, hayfever

Habitat: waste areas; widespread

Animals affected: cattle

***Elymus* spp.**

Common name: wildrye

Toxin: ergot infestation

Habitat: mountain slopes, plains

Animals affected: cattle

***Eragrostis ciliaris* (All.) Lin.**

Common name: lovegrass, stinkgrass

Toxin: unknown

Habitat: cultivated or waste areas

Animals affected: horses

***Festuca arundinacea* Schreber**

Common name: tall fescue

Toxin: alkaloids, fescue foot

Habitat: pastures

Animals affected: cattle

***Glyceria striata* (Lam.) Hitchc.**

Common name: fowl managrass

Toxin: cyanogenetic compounds

Habitat: plains and foothills

Animals affected: cattle, sheep, horses

***Hilaria jamesii* (Torr.) Benth.**

Common name: galleta

Toxin: ergot infestation of sheedheads

Habitat: plains and foothills	Habitat: cultivated
Animals affected: cattle, sheep, horses	Animals affected: cattle, sheep, horses, humans
Hilaria mutica (Buckl.) Benth.	<b><i>Setaria lutescens</i> (Wiegel) Hubb.</b>
Common name: tobosa	Common name: yellow bristlegrass
Toxin: ergot infestation of seedheads	Toxin: mechanically injurious (rare)
Habitat: plains and foothills	Habitat: waste areas
Animals affected: cattle, sheep, horses	Animals affected: cattle
<b><i>Hordeum jubatum</i> L.</b>	<b><i>Sorghum bicolor</i> (L.) Moench</b>
Common name: foxtail barley	Common name: common sorghum, milo
Toxin: mechanical injury from mature awns	Toxin: cyanide
Habitat: plains and open slopes	Habitat: waste areas, cultivated
Animals affected: cattle, sheep, horses	Animals affected: cattle, sheep, horses
<b><i>Hordeum vulgare</i> L.</b>	<b>*<i>Sorghum halepense</i> (L.) Pers.</b>
Common name: barley	Common name: Johnsongrass
Toxin: mechanical injury from mature awns	Toxin: cyanide
Habitat: waste areas	Habitat: waste areas, cultivated fields
Animals affected: cattle, swine, dogs, poultry	Animals affected: cattle, sheep, horses
<b><i>Lolium perenne</i> L.</b>	<b><i>Stipa comata</i> Trin. Rupr.</b>
Common name: perennial ryegrass	Common name: needle-and-thread
Toxin: ergot infestation of seed heads	Toxin: mechanical injury from mature awns
Habitat: meadows, waste areas	Habitat: open slopes
Animals affected: cattle	Animals affected: cattle, sheep, horses
<b><i>Panicum antidotale</i> Retz.</b>	<b><i>Stipa neomexicana</i> (Thurb.) Scribn.</b>
Common name: blue panicum	Common name: New Mexico feathergrass
Toxin: nitrates	Toxin: mechanical injury from mature awns
Habitat: rangelands	Habitat: dry hills
Animals affected: cattle	Animals affected: cattle, sheep, horses
<b><i>Panicum capillare</i> L.</b>	<b><i>Stipa robusta</i> (Vasey) Scribn.</b>
Common name: witchgrass	Common name: sleepygrass
Toxin: nitrates	Toxin: unknown narcotic
Habitat: roadsides, waste places	Habitat: open slopes, northern to south-central New Mexico
Animals affected: cattle	Animals affected: horses
<b><i>Panicum coloratum</i> L.</b>	<b><i>Zea mays</i> L.</b>
Common name: Kleinegrass	Common name: common maize
Toxin: photosensitivity	Toxin: nitrates
Habitat: pastures	Habitat: cultivated
Animals affected: sheep	Animals affected: cattle
<b><i>Paspalum dilatatum</i> Poir.</b>	<b><i>Polygalaceae</i></b>
Common name: dallisgrass	<b><i>Polygala sanguinea</i> (L.) Farwell</b>
Toxin: ergot infestation of seed heads	Common name: milkwort, snakeroot
Habitat: irrigated pastures, moist disturbed areas	Toxin: irritant drug
Animals affected: cattle, sheep, horses	Habitat: plains
<b><i>Poa pratensis</i> L.</b>	Animals affected: horses
Common name: Kentucky bluegrass	<b><i>Polygonaceae</i></b>
Toxin: ergot infestation of seed heads	<b><i>Beta vulgaris</i> L.</b>
Habitat: lawns, pastures, meadows	Common name: beet, sugar beet
Animals affected: cattle, sheep, horses	Toxin: oxalates, nitrates
<b><i>Secale cereale</i> L.</b>	Habitat: cultivated
Common name: rye	Animals affected: cattle
Toxin: ergot infestation of seed heads	

***Fagopyrum sagittatum* Gilib.**

Common name: buckwheat  
Toxin: primary photosensitizer  
Habitat: waste areas, roadsides  
Animals affected: cattle, sheep, horses, goats, swine, fowl

***Rheum rhabonticum* L.**

Common name: rhubarb  
Toxin: oxalic acid in the leaf blades  
Habitat: cultivated  
Animals affected: cattle, sheep

***Rumex acetosella* L.**

Common name: sheep sorrel, dock  
Toxin: oxalates in the leaf blades  
Habitat: disturbed places  
Animals affected: sheep

***Rumex crispus* L.**

Common name: curlyleaf dock  
Toxin: oxalates  
Habitat: cultivated fields, waste areas  
Animals affected: sheep

**Polypodiaceae**

**\**Pteridium aquilinum* (L.) Kuhn.**

Common name: bracken fern  
Toxin: thiaminase  
Habitat: open woods and clearings in the mountains  
Animals affected: cattle, sheep, horses

**Portulacaceae**

***Portulaca oleracea* L.**

Common name: common purslane  
Toxin: oxalates  
Habitat: waste areas, cultivated areas  
Animals affected: sheep

**Primulaceae**

***Anagallis arvensis* L.**

Common name: pimpernel  
Toxin: unknown  
Habitat: waste areas  
Animals affected: sheep

**Ranunculaceae**

**\**Aconitum columbianum* Nutt.**

Common name: monkshood  
Toxin: alkaloids  
Habitat: moist ground, often along streams  
Animals affected: cattle, sheep, horses  
*Actaea arguta* Nutt.  
Common name: baneberry  
Toxin: irritant oil

Habitat: woods

Animals affected: cattle, sheep, horses, humans

***Anemone patens* L.**

Common name: pasque flower  
Toxin: glycoside  
Habitat: open meadows  
Animals affected: sheep

***Caltha leptosepala* DC.**

Common name: elkslip, march marigold  
Toxin: glycoside  
Habitat: wet meadows, boggy ground  
Animals affected: cattle, sheep

**\**Delphinium barbeyi* Huth.**

Common name: Barbey larkspur, tall larkspur  
Toxin: alkaloids  
Habitat: open meadows  
Animals affected: cattle, occasionally sheep

**\**Delphinium nelsonii* Greene**

Common name: Nelson larkspur  
Toxin: alkaloids  
Habitat: dry plains  
Animals affected: cattle, sheep, horses

**\**Delphinium occidentale* Wats.**

Common name: larkspur  
Toxin: alkaloids  
Habitat: dry slopes in oak scrub  
Animals affected: cattle, sheep, horses

**\**Delphinium robustum* Rydb.**

Common name: larkspur  
Toxin: alkaloids  
Habitat: mountain meadows  
Animals affected: cattle, sheep, horses

**\**Delphinium vireseens* Nutt.**

Common name: larkspur  
Toxin: alkaloids  
Habitat: dry plains and hills  
Animals affected: cattle, sheep, horses

***Ranunculus aeris* L.**

Common name: tall buttercup  
Toxin: glycoside  
Habitat: open areas  
Animals affected: cattle, sheep, horses

***Ranunculus cymbalaria* Purch**

Common name: alkali buttercup, trailing buttercup  
Toxin: glycoside  
Habitat: wet ground  
Animals affected: cattle, sheep, horses

***Ranunculus scleratus* L.**

Common name: crowfoot, buttercup

Toxin: glycoside  
Habitat: marshy ground  
Animals affected: cattle, sheep, horses

### **Rosaceae**

---

\****Cercocarpus montanus* Raf.**  
Common name: mountain mahogany  
Toxin: cyanogenetic glycosides  
Habitat: dry hillsides  
Animals affected: cattle

***Malus sylvestris* Mill.**  
Common name: apple  
Toxin: cyanide in leaves  
Habitat: cultivated  
Animals affected: cattle, horses, mules

### ***Prunus armeniaca* L.**

Common name: apricot  
Toxin: cyanogenetic glycoside, especially in seeds (pits)  
Habitat: cultivated  
Animals affected: cattle, sheep, horses

### ***Prunus persica* Batsch**

Common name: peach  
Toxin: cyanogenetic glycoside, especially in seeds (pits)  
Habitat: cultivated  
Animals affected: cattle, sheep, horses

### **\**Prunus serotina* Ehrh.**

Common name: southwestern chokecherry  
Toxin: cyanogenetic glycoside  
Habitat: along streams  
Animals affected: cattle, sheep, horses

### **\**Prunus virginiana* L.**

Common name: chokecherry  
Toxin: cyanogenetic glycoside  
Habitat: moist canyons and slopes  
Animals affected: cattle, sheep

### **Santalaceae**

---

***Comandra umbellata* (L.) Nutt.**  
Common name: bastard toadflax  
Toxin: alkaloids, glycosides, selenium  
Habitat: plains and forested slopes; parasitic on other plants  
Animals affected: cattle, sheep, horses

### **Scrophulariaceae**

---

***Castilleja* spp.**  
Common name: paintbrushes  
Toxin: selenium  
Habitat: foothills and plains

Animals affected: cattle

### **Sinopteridaceae**

---

***Dryopteris filix-mas* (L.) Schott**  
Common name: malefern  
Toxin: thiaminase  
Habitat: damp, rocky places, often along streams  
Animals affected: horses

\****Notholaena sinuata* (Lag.) Kaulf. var. *cochisenensis* (Goodding) Weath.**  
Common name: Jimmy fern, cloak fern  
Toxin: unknown, passed through the milk  
Habitat: dry, rocky areas, along canyon walls  
Animals affected: sheep

### **Solanaceae**

---

\****Datura stramonium* L.**  
Common name: Jimsonweed  
Toxin: alkaloids  
Habitat: waste or cultivated ground  
Animals affected: cattle, sheep, horses, swine, mules, chickens, humans

\****Datura wrightii* Regel.**  
Common name: datura, thornapple  
Toxin: alkaloids  
Habitat: mesas and waste grounds  
Animals affected: cattle, sheep, horses, swine, mules, chickens, humans

### ***Hyoscyamus niger* L.**

Common name: henbane  
Toxin: alkaloids  
Habitat: moist roadsides  
Animals affected: cattle, sheep, fowl

### ***Lycium halimifolium* Mill.**

Common name: matrimony vine  
Toxin: unknown  
Habitat: dry hills and plains  
Animals affected: calves, sheep

### ***Lycopersicon esculentum* Mill.**

Common name: tomato  
Toxin: alkaloids in leaves and vines  
Habitat: cultivated  
Animals affected: cattle, swine

### ***Nicotiana attenuata* S. Wats.**

Common name: coyote tobacco  
Toxin: nicotine  
Habitat: sandy ground near streams and washes  
Animals affected: cattle, sheep, horses, swine

### ***Nicotiana gauca* Graham**

Common name: tree tobacco

Toxin: nicotine  
Habitat: along desert streams and washes  
Animals affected: cattle, sheep, horses

***Nicotiana trigonophylla* Dunal**

Common name: desert tobacco  
Toxin: nicotine  
Habitat: desert canyons, washes  
Animals affected: cattle, sheep, horses

***Physalis virginiana* Mill. var. *sonora* (Torr.) Waterfall**

Common name: groundcherry  
Toxin: unknown  
Habitat: moist ground, widespread  
Animals affected: sheep

**\**Solanum elaeagnifolium* Cav.**

Common name: silverleaf nightshade, horsenettle  
Toxin: glycoalkaloids  
Habitat: shaded slopes or waste areas  
Animals affected: cattle, sheep

***Solanum nigrum* L.**

Common name: black nightshade  
Toxin: glycoalkaloids  
Habitat: shaded slopes or waste areas  
Animals affected: cattle, sheep, horses

***Solanum rostratum* Dunal.**

Common name: buffalobur  
Toxin: glycoalkaloids  
Habitat: plains and waste areas  
Animals affected: cattle, swine

***Solanum triflorum* Nutt.**

Common name: cutleaf nightshade  
Toxin: glycoalkaloids  
Habitat: plains, roadsides, streambeds  
Animals affected: cattle, horses

***Solanum sarachoides* Sendt.**

Common name: hairy nightshade  
Toxin: glycoalkaloids  
Habitat: waste areas  
Animals affected: cattle, sheep, horses

**Typhaceae**

***Typha latifolia* L.**

Common name: cattail  
Toxin: hayfever  
Habitat: marshes, ponds  
Animals affected: horses

***Urtica gracilis* Ait.**

Common name: stinging nettle  
Toxin: stinging hairs cause dermatitis, nitrates  
Habitat: rich damp soil in thickets in mountains  
Animals affected: horses

**Verbenaceae**

***Aloysia wrightii* (Gray) Heller**

Common name: whitebrush  
Toxin: unknown  
Habitat: dry, rocky slopes, often on limestone soils  
Animals affected: horses

**Zygophyllaceae**

***Kallstroemia hirsutissima* Vail**

Common name: hairy caltrop  
Toxin: unknown  
Habitat: dry plains, widespread  
Animals affected: cattle, sheep, goats

***Peganum harmala* L.**

Common name: African rue  
Toxin: alkaloids  
Habitat: southern dry plains  
Animals affected: cattle

**\**Tribulus terrestris* L.**

Common name: puncturevine, goathead  
Toxin: nitrates, photosensitizing compound, saponins  
Habitat: disturbed areas  
Animals affected: sheep

**REFERENCES**

1. Fuller, T. C., & McClintonck, E. 1986. *Poisonous Plants of California*. Berkely, CA: University of California Press.
2. James, L. F., Keeler, R. F., Johnson, A. E., Williams, M. C., Cronin, E. H., & Olsen, J. D. 1980. *Plants poisonous to livestock in the western states* (Inf. Bul. 415). Washington, D.C.: US Department of Agriculture.
3. Kingsbury, J. M. 1964. *Poisonous plants of the United States and Canada*. Upper Saddle River, NJ: Prentice-Hall, Inc.
4. Norris, J. J., & Valentine, K. A. 1957. *Principle Livestock-Poisoning Plants of New Mexico Ranges* (Circular 274). Las Cruces, NM: Cooperative Extension Service.
5. Schmutz, E. M., Freeman, B. N., & Reed, R. E. 1968. *Livestock-Poisoning Plants of Arizona*. Tucson, AZ: University of Arizona Press.

## INDEX TO GENERIC AND COMMON NAMES

### A

---

<i>Acacia constricta</i>	10
<i>Acacia gregii</i>	10
<i>Achillea millefolium</i>	5
<i>Aconitum columbianum</i>	17
<i>Actea arguta</i>	17
African rue	19
<i>Agave lechuguilla</i>	4
<i>Agropyron</i> spp.	15
<i>Agrostemma githago</i>	8
Alfalfa	12
Alkali buttercup	17
Alkali milkvetch	11
<i>Aloysia wrightii</i>	19
Alsike clover	13
<i>Amaranthus palmeri</i>	4
<i>Amaranthus retroflexus</i>	4
<i>Amsinckia intermedia</i>	8
<i>Anagallis arvensis</i>	17
<i>Anemone patens</i>	17
Annual goldeneye	7
Annual psathyrotes	7
Annual sage	13
<i>Anthemis cotula</i>	5
<i>Apium graveolens</i>	4
<i>Apocynum androsaemifolium</i>	4
<i>Apocynum cannabinum</i>	4
Apple	18
Apricot	18
<i>Argemone mexicana</i>	14
<i>Argemone polyanthemos</i>	15
<i>Aristida</i> spp.	15
Arrowgrass	13
<i>Artemisia filifolia</i>	5
<i>Artemisia spinescens</i>	5
<i>Asclepias asperula</i>	4
<i>Asclepias incarnata</i>	5
<i>Asclepias latifolia</i>	5
<i>Asclepias pumila</i>	5
<i>Asclepias speciosa</i>	5
<i>Asclepias subverticillata</i>	5
<i>Asclepias verticillata</i>	5
Asparagus	14
<i>Asparagus officinalis</i>	14
Aster	5
<i>Aster adscendens</i>	5
<i>Aster coeruleascens</i>	5

<i>Aster commutatus</i>	6
<i>Aster ericoides</i>	6
<i>Aster glaucoides</i>	6
<i>Aster laevis</i>	6
<i>Aster occidentalis</i>	6
<i>Aster pauciflorus</i>	6
<i>Astragalus albulus</i>	10
<i>Astragalus allochrous</i> var. <i>allochrous</i>	10
<i>Astragalus allochrous</i> var. <i>playanus</i>	10
<i>Astragalus bisulcatus</i> var. <i>bisulcatus</i>	10
<i>Astragalus bisulcatus</i> var. <i>haydenianus</i>	10
<i>Astragalus canadensis</i>	10
<i>Astragalus confertiflorus</i>	10
<i>Astragalus drummondii</i>	10
<i>Astragalus emoryanus</i>	10
<i>Astragalus flavus</i>	11
<i>Astragalus lentiginosus</i> var. <i>diphysus</i>	11
<i>Astragalus lentiginosus</i> var. <i>lentiginosus</i>	11
<i>Astragalus mollissimus</i> var. <i>earlei</i>	11
<i>Astragalus mollissimus</i> var. <i>mollissimus</i>	11
<i>Astragalus nothoxys</i>	11
<i>Astragalus oocalycis</i>	11
<i>Astragalus pattersonii</i>	11
<i>Astragalus pectinatus</i>	11
<i>Astragalus praelongus</i> var. <i>praelongus</i>	11
<i>Astragalus prcelongus</i> var. <i>ellisire</i>	11
<i>Astragalus racemosus</i> var. <i>longisetus</i>	11
<i>Astragalus racemosus</i> var. <i>racemosus</i>	11
<i>Astragalus tephrodes</i>	11
<i>Astragalus thurberi</i>	11
<i>Atriplex canescens</i>	9
<i>Atriplex nuttallii</i> var. <i>cuneata</i>	9
<i>Atriplex rosea</i>	9
<i>Avena fatua</i>	15
<i>Avena sativa</i>	15

### B

---

<i>Baccharis pteronioides</i>	5
Bahia	6
<i>Bahia oppositifolia</i>	6
<i>Baileya multiradiata</i>	6
Baneberry	17
<i>Barbarea vulgaris</i>	8
Barbey larkspur	17
Barilla	9
Barley	16
Bassia	9
<i>Bassia hyssopifolia</i>	9
Bastard toadflax	18
Beaked milkvetch	11

Beargrass	4	<i>Centaurium calycosum</i>	13		
Beet	16	<i>Cercocarpus montanus</i>	18		
Bermudagrass	15	Charlock	8		
<i>Berula erecta</i>	4	Cheatgrass	15		
<i>Beta vulgaris</i>	16	Cheeseweed	14		
Bird of paradise	12	<i>Chenopodium album</i>	9		
Birdsfoot trefoil	12	<i>Chenopodium ambrosioides</i>	9		
Bitter rubberweed	6	<i>Chenopodium glaucum</i>	9		
Bitterweed	6	Chinaberry tree	14		
Black-eyed Susan	7	Chokecherry	20		
Black locust	12	<i>Chrysanthemus nauseosus</i>	6		
Black mustard	8	Cibola milkvetch	10		
Black nightshade	19	<i>Cicuta douglasii</i>	4		
Bluebonnet	12	Cloak fern	18		
Blue loco	11	Cocklebur	7		
Blue panicum	16	Colorado rubberweed	6		
Bouncing bet	9	<i>Comandra umbellata</i>	18		
<i>Bouteloua</i> spp.	15	Common groundsel	7		
Bracken fern	17	Common maize	16		
<i>Brassica hirta</i>	8	Common poppy	15		
<i>Brassica kaber</i>	8	Common purslane	17		
<i>Brassica nigra</i>	8	Common sorghum	16		
Broadleaf milkweed	5	Common tansy	7		
<i>Bromus diandrus</i>	15	Coneflower	7		
<i>Bromus inermis</i>	15	<i>Conium maculatum</i>	4		
<i>Bromus rubens</i>	15	Conyza	6		
<i>Bromus tectorum</i>	15	<i>Conyza coulteri</i>	6		
Broom groundsel	7	Copperweed	7		
Broom snakeweed	6	Corn cockle	8		
Broomweed	6	Cornlily	14		
Buckwheat	17	<i>Corydalis aurea</i>	13		
Bud sagebrush	5	Cow cockle	9		
Buffalobur	19	Coyote tobacco	18		
Bulrush	9	Creeping woodsorrel	14		
Burclover	12	Crotalaria	11		
Burrowweed	6	<i>Crotalaria sagittalis</i>	11		
Buttercup	17	<i>Croton texensis</i>	10		
<hr/>					
<b>C</b>		Crowfoot	17		
<i>Caesalpinia gilliesii</i>	12	Cultivated oats	15		
<i>Caltha leptosepala</i>	17	Curlycup gumweed	6		
Canada milkvetch	10	Curlyleaf dock	17		
<i>Cannabis sativa</i>	8	Cutleaf nightshade	19		
Carelessweed	4	<i>Cynodon dactylon</i>	15		
<i>Cassia fasciculata</i> var. <i>fasciculata</i>	11	<i>Cynoglossum officinale</i>	8		
<i>Cassia fasciculata</i> var. <i>rostrata</i>	11	<hr/>			
<i>Castilleja</i> spp.	18	Dallisgrass	16		
Catclaw acacia	10	Datura	18		
Cattail	21	<i>Datura stramonium</i>	18		
Celery	4	<i>Datura wrightii</i>	18		
<i>Centaurea repens</i>	6	<i>Daucus carota</i>	4		
<i>Centaurea solstitialis</i>	6	Dead nettle	13		

Death camas	14	G	_____
<i>Delphinium barbeyi</i>	17	Galleta	15
<i>Delphinium nelsonii</i>	17	Gambeloak	13
<i>Delphinium occidentale</i>	17	Garden pea	12
<i>Delphinium robustum</i>	17	<i>Glyceria striata</i>	15
<i>Delphinium virescens</i>	17	Goathead	19
<i>Descurainia pinnata</i>	8	Golden corydalis	13
Desert baileya	6	Golden glow	7
Desert marigold	6	Goosefoot	9
Desert tobacco	19	<i>Gossypium barbadense</i>	14
Dock	17	Grama grasses	15
Dogbane	4	Gray aster	5
Dog fennel	5	Greasewood	9
Down cheat	15	<i>Grindelia squarrosa</i>	6
Drummond milkvetch	10	Groundcherry	19
<i>Drymaria pachyphylla</i>	9	<i>Gutierrezia microcephala</i>	6
Drymary	9	<i>Gutierrezia sarothrae</i>	6
<i>Dryopteris filix-mas</i>	18		
E	_____	H	_____
Elkslip	17	Hairy caltrop	19
Ellis milkvetch	11	Hairy nightshade	19
<i>Elymus</i> spp.	15	Hairy vetch	13
Emory milkvetch	10	Halfmoon locoweed	10
<i>Equisetum arvense</i>	9	Halogeton	9
<i>Equisetum hiemale</i>	9	<i>Halogeton glomeratus</i>	9
<i>Equisetum laevigatum</i>	10	<i>Haplopappus tenuisectus</i>	6
<i>Eragrostis cilianensis</i>	15	Havard shinoak	13
Euphorbia	10	<i>Helenium autumnale</i>	6
<i>Euphorbia albomarginata</i>	10	<i>Helenium hoopesii</i>	6
<i>Euphorbia esula</i>	10	<i>Helenium microcephalum</i>	6
<i>Euphorbia maculata</i>	10	Hemp dogbane	4
<i>Euphorbia marginata</i>	10	Henbane	18
<i>Euphorbia prostrata</i>	10	Henbit	13
Eyebane	10	<i>Hilaria jamesii</i>	15
F	_____	<i>Hilaria mutica</i>	16
<i>Fagopyrum sagittatum</i>	17	<i>Hordeum jubatum</i>	16
False hellebore	14	<i>Hordeum vulgare</i>	16
<i>Festuca arundinacea</i>	15	Horsebrush	7
Fewheaded aster	5	Horsenettle	19
Fiddleneck	8	Horsetail	9
Field pennycress	8	Hounds tongue	8
Flax	14	<i>Hymenoxys odorata</i>	6
<i>Flourensia cernua</i>	6	<i>Hymenoxys richardsonii</i>	6
Four-wing saltbush	9	<i>Hyoscyamus niger</i>	18
Fowl mannagrass	15	<i>Hypericum formosum</i>	13
Foxtail barley	16	I	_____
Foxtail chess	15	Iceland poppy	15
Frijolito	12	Indian turnip	12
		Inkweed	9
		<i>Iris missouriensis</i>	13
		Ironweed	7

<i>Isocoma wrightii</i>	6
<b>J</b>	
Jackass clover	8
Jimmy fern	18
Jimmyweed	6
Jimsonweed	18
Johnsongrass	16
<b>K</b>	
<i>Kallstroemia hirsutissima</i>	19
Kellogg's spurred lupine	12
Kentucky bluegrass	16
Kleinegrass	16
Kochia	9
<i>Kochia scoparia</i>	9
<b>L</b>	
<i>Lactuca serriola</i>	7
Lambert's crazyweed	12
Lambsquarter	9
<i>Lamium amplexicaule</i>	13
Larkspur	17
<i>Lathyrus polymorphus</i> var. <i>incanus</i>	12
Leafy spurge	10
Lechuguilla	4
<i>Linum neomexicanum</i>	14
<i>Linum usitatissimum</i>	14
<i>Lobelia cardinalis</i>	8
Locoweed	11
<i>Lolium perenne</i>	16
<i>Lotus corniculatus</i>	12
Lovegrass	15
Low whorled milkweed	5
Lucerne	12
Lupine	12
<i>Lupinus alpestris</i>	12
<i>Lupinus argenteus</i>	12
<i>Lupinus caudatus</i>	12
<i>Lycium halimifolium</i>	18
<i>Lycopersicon esculentum</i>	18
<b>M</b>	
<i>Maclura pomifera</i>	14
Malefern	18
Mallow	14
<i>Malus sylvestris</i>	18
<i>Malva parviflora</i>	14
March marigold	17
Marijuana	8
Matchbrush	6
Matchweed	6
<b>N</b>	
Matrimony vine	18
Mayweed	5
<i>Medicago hispida</i>	12
<i>Medicago sativa</i>	10
<i>Melia azedarach</i>	14
<i>Melilotus albus</i>	12
<i>Melilotus officinalis</i>	12
Mescal bean	12
Mesquite	12
Mexican elder	8
Mexican poppy	14
Milkwort	16
Milo	16
Mintweed	13
Mistletoe	14
Monkshood	17
Mountain golden pea	13
Mountain mahogany	18
Mountain pink	13
<b>O</b>	
Needle-and-thread	16
Nelson larkspur	17
<i>Nerium oleander</i>	4
New Mexico feathergrass	16
New Mexico yellow flax	14
<i>Nicotiana attenuata</i>	18
<i>Nicotiana glauca</i>	18
<i>Nicotiana trigonophylla</i>	19
<i>Nolina microcarpa</i>	4
<i>Nolina texana</i>	4
<i>Notholaena sinuata</i> var. <i>cochisenensis</i>	18
Nuttall saltbush	9
<b>P</b>	
Paintbrushes	18
<i>Panicum antidotale</i>	16
<i>Panicum capillare</i>	16
<i>Panicum coloratum</i>	16
<i>Papaver nudicaule</i> var. <i>radicatum</i>	15
<i>Papaver somniferum</i>	15
Paperflower	7

Parsnip	4	Rattlebox	11
Partridge-pea	11	Rattleweed	11
<i>Paspalum dilatatum</i>	16	Rayless goldenrod	6
Pasque flower	17	Red brome	15
<i>Pastinaca sativa</i>	4	Red clover	13
Patterson locoweed	11	Red orache	9
Peach	18	Redroot amaranth	4
<i>Peganum harmala</i>	19	Red shadscale	9
Perennial ryegrass	16	Red three-awn	15
Perennial snakeweed	16	Reverchonia	10
<i>Phoradendron flavescens</i>	14	<i>Reverchonia arenaria</i>	10
<i>Physalis virginiana</i> var. <i>sonora</i>	19	<i>Rheum rhabonticum</i>	17
Pigweed	4	Rhubarb	17
Pimpernel	17	Riddell's groundsel	7
Pingue	6	Ripgut brome	15
<i>Pinus ponderosa</i>	15	<i>Robinia pseudoacacia</i>	12
<i>Pisum sativum</i>	12	Rocky Mountain iris	13
Plains bahia	6	Rocky Mountain red elder	8
Plains whorled milkweed	5	Rough milkweed	4
<i>Poa pratensis</i>	16	Rubber rabbitbrush	6
Poison hemlock	4	Rubberweed	6
Poison ivy	4	<i>Rudbeckia hirta</i>	7
Poison suckleya	9	<i>Rudbeckia laciniata</i>	7
<i>Polygala sanguinea</i>	16	<i>Rumex acetosella</i>	19
Ponderosa pine	15	<i>Rumex crispus</i>	19
<i>Portulaca oleracea</i>	17	Russian knapweed	6
Prairie thermopsis	13	Russian thistle	9
Prickly poppy	15	Rye	16
Prince's plume	8	<b>S</b> _____	
<i>Prosopis glandulosa</i>	12	Sacahuista	4
<i>Prunus armeniaca</i>	18	<i>Salsola tragus</i>	9
<i>Prunus persica</i>	18	<i>Salvia reflexa</i>	13
<i>Prunus serotina</i>	18	<i>Sambucus mexicana</i>	8
<i>Prunus virginiana</i>	18	<i>Sambucus microbotrys</i>	8
<i>Psathyrotes annua</i>	7	<i>Sambucus pubens</i>	8
<i>Psilostrophe sparsiflora</i>	7	Sand sagebrush	5
<i>Psilostrophe tagetinae</i>	7	<i>Saponaria officinalis</i>	9
<i>Psoralea argophylla</i>	12	<i>Saponaria vaccaria</i>	9
<i>Psoralea tenuiflora</i>	12	<i>Sarcobatus vermiculatus</i>	9
<i>Pteridium aquilinum</i>	17	Sartwellia	7
Puncturevine	19	<i>Sartwellia flaveriae</i>	7
<b>Q</b> _____		<i>Scirpus americanus</i>	9
Queen Ann's lace	4	Scouring rush	9
<i>Quercus gambelii</i>	13	Scurf pea	12
<i>Quercus havardii</i>	13	Sea-island cotton	14
<b>R</b> _____		<i>Secale cereale</i>	16
<i>Ranunculus aeries</i>	17	<i>Senecio flaccidus</i>	7
<i>Ranunculus cymbalaria</i>	17	<i>Senecio riddellii</i>	7
<i>Ranunculus sceleratus</i>	17	<i>Senecio spartioides</i>	7
<i>Raphanus raphanastrum</i>	8	<i>Senecio vulgaris</i>	7
		<i>Setaria lutescens</i>	16

Sheep sorrel	17	<i>Tanacetum vulgare</i>	7
Shinnery	13	Tansy mustard	8
Showy milkweed	5	Tarbrush	6
<i>Sideranthus grindelioides</i>	7	<i>Tetradymia canescens</i>	7
Silky crazyweed	12	<i>Tetradymia spinosa</i>	7
Silky sophora	13	Texas croton	10
Silverleaf nightshade	19	<i>Thermopsis montana</i>	13
Silverline locoweed	11	<i>Thermopsis rhombifolia</i>	13
Silvery lupine	12	Thimble weed	7
<i>Sium suave</i>	4	<i>Thlaspi arvense</i>	8
Sleepygrass	16	Thornapple	18
Smooth aster	5	Threadleaf groundsel	7
Smooth brome	15	Thurber milkvetch	11
Smooth horsetail	10	Tine-leaved milkvetch	11
Snakeroot	16	Tobosa	16
Snakeweed	6	Tomato	18
Sneezeweed	6	<i>Toxicodendron radicans</i>	4
Snow-on-the-mountain	10	Trailing buttercup	17
Soapwort	9	Tree tobacco	18
<i>Solanum elaeagnifolium</i>	19	<i>Tribulus terrestris</i>	19
<i>Solanum nigrum</i>	19	<i>Trifolium hybridum</i>	13
<i>Solanum rostratum</i>	19	<i>Trifolium pratense</i>	13
<i>Solanum sarachoides</i>	19	<i>Trifolium repens</i>	13
<i>Solanum triflorum</i>	19	<i>Triglochin maritima</i>	13
<i>Sophora secundiflora</i>	12	<i>Triglochin palustris</i>	13
<i>Sophora sericea</i>	13	Tumbleweed	9
<i>Sorghum bicolor</i>	16	Turpentine weed	6
<i>Sorghum halepense</i>	16	Two-grooved milkvetch	10
Southwestern chokecherry	18	<i>Typha latifolia</i>	19
Southwestern St. John's wort	13	<hr/>	
Spider antelopehorn	4	<b>U</b>	
Spiny cocklebur	7	<i>Urtica gracilis</i>	19
Spiny horsebrush	7	<hr/>	
Spotted spurge	10	<b>V</b>	
Spreading dogbane	4	<i>Veratrum californicum</i>	14
Spurge	11	<i>Vicia villosa</i>	13
<i>Stanleya pinnata</i>	8	<i>Viguiera annua</i>	7
Stinging nettle	19	<hr/>	
Stinkgrass	15	<b>W</b>	
Stinking milkvetch	11	Water hemlock	4
<i>Stipa comata</i>	16	Water parsnip	4
<i>Stipa neomexicana</i>	16	Western aster	5
<i>Stipa robusta</i>	16	Western cardinal flower	8
<i>Suckleya suckleyana</i>	9	Western whorled milkweed	5
Sugar beet	16	Western yellow pine	15
Summer cypress	9	Wheatgrass	15
Swamp milkweed	5	Whitebrush	19
<hr/>		White clover	13
Tailcut lupine	12	Whitehorn acacia	10
Tall fescue	15	White loco	12
Tall larkspur	17	White mustard	8
		White sweetclover	12

Whorled milkweed	5
Wild carrot	4
Wild lettuce	7
Wild oats	15
Wild pea	12
Wild radish	8
Wild rye	15
Winter vetch	13
<i>Wislizenia refracta</i>	8
Witchgrass	16
Woolly locoweed	11
Wooton locoweed	10

## X

---

<i>Xanthium spinosum</i>	7
<i>Xanthium strumarium</i>	7

## Y

---

Yarrow	5
Yellow bristlegrass	16
Yellow milkvetch	10, 11
Yellow rocket	8
Yellow starthistle	6
Yellow sweetclover	12
Yerba-de-pasmo	5

## Z

---

<i>Zea mays</i>	16
<i>Zigadenus gramineus</i>	14
<i>Zigadenus paniculatus</i>	14
<i>Zigadenus venenosus</i>	14



**Casey Spackman** is an Assistant Professor and Extension Range Management Specialist at New Mexico State University. He earned his Ph.D. at Utah State University. His Extension efforts aim to assist producers, land managers, and agency personnel in monitoring and developing management objectives that maintain or improve natural resource health and sustainability.

**Original Author(s): Kelly W. Allred.** Professor, Department of Animal and Range Sciences, New Mexico State University, Las Cruces. Published February 2010.

Contents of publications may be freely reproduced, with an appropriate citation, for educational purposes. All other rights reserved. For permission to use publications for other purposes, contact [pubs@nmsu.edu](mailto:pubs@nmsu.edu) or the authors listed on the publication. New Mexico State University is an equal opportunity/affirmative action employer and educator. NMSU and the U.S. Department of Agriculture cooperating.